The Anthropocene: Politik—Economics—Society—Science

Saleemul Huq Jeffrey Chow · Adrian Fenton Clare Stott · Julia Taub Helena Wright *Editors*

Confronting Climate Change in Bangladesh

Policy Strategies for Adaptation and Resilience





The Anthropocene: Politik—Economics— Society—Science

Volume 28

Series editor

Hans Günter Brauch, Mosbach, Germany

More information about this series at http://www.springer.com/series/15232 http://www.afes-press-books.de/html/APESS.htm http://www.afes-press-books.de/html/APESS_28.htm Saleemul Huq · Jeffrey Chow Adrian Fenton · Clare Stott Julia Taub · Helena Wright Editors

Confronting Climate Change in Bangladesh

Policy Strategies for Adaptation and Resilience







Editors Saleemul Huq Climate Change Group International Institute for Environment and Development London, UK

International Centre for Climate Change and Development Dhaka, Bangladesh

Jeffrey Chow International Centre for Climate Change and Development Dhaka, Bangladesh

Adrian Fenton International Centre for Climate Change and Development Dhaka, Bangladesh

Clare Stott International Centre for Climate Change and Development Dhaka, Bangladesh Julia Taub International Centre for Climate Change and Development Dhaka, Bangladesh

Helena Wright International Centre for Climate Change and Development Dhaka, Bangladesh

For more on this book, see: http://www.afes-press-books.de/html/APESS_28.htm

ISSN 2367-4024 ISSN 2367-4032 (electronic) The Anthropocene: Politik—Economics—Society—Science ISBN 978-3-030-05236-2 ISBN 978-3-030-05237-9 (eBook) https://doi.org/10.1007/978-3-030-05237-9

Library of Congress Control Number: 2018962775

© Springer Nature Switzerland AG 2019, corrected publication 2019

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Copyediting: PD Dr. Hans Günter Brauch, AFES-PRESS e.V., Mosbach, Germany

This Springer imprint is published by the registered company Springer Nature Switzerland AG. The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Acknowledgements

The authors would like to express their gratitude to all chapter authors for taking the time to submit their work to the contribution to this collective volume. We would also like to thank the staff of the *International Centre for Climate Change and Development* (ICCCAD) and the Gobeshona initiative in Dhaka, Bangladesh, for support in the coordination of the chapter submission process. Finally, we would like to express our thanks to all the anonymous peer reviewers who took their time to peer review the chapters within their book. The book could not have been possible without the time and expertise of all those who have helped through the whole publication process.

The cover photograph was taken by Sarah Goldstein Opasiak who also granted the permission to use it here.

Contents

1	Introduction: Bangladesh Responds to Climate Change Helena Wright, Adrian Fenton, Saleemul Huq, Clare Stott, Julia Taub and Jeffrey Chow	1
2	Agricultural Adaptation Practices to Climate Change Impactsin Coastal BangladeshM. Shahjahan Mondal, Mohammad Towheedul Islam,Debanjali Saha, Muhammad Shahriar Shafayet Hossain,Prodip Kumar Das and Rezaur Rahman	7
3	Climate Change-Induced Loss and Damage of Freshwater Resources in Bangladesh. Nandan Mukherjee, John S. Rowan, Roufa Khanum, Ainun Nishat and Sajidur Rahman	23
4	Forest Management for Climate Change Adaptation in Bangladesh	39
5	Ecosystem-Based Adaptation: Opportunities and Challenges in Coastal Bangladesh M. Mustafa Saroar, M. Mahbubur Rahman, Khalid M. Bahauddin and M. Abdur Rahaman	51
6	Climate Governance and Finance in Bangladesh	65
7	The Role of State Broadcasting Media and Educationin Addressing Climate Change in BangladeshAfifa Afroz, Safayet Khan, Ishrat Binte Mahmudand Mohammad Nazmul Chowdhury	85

8	Climate Change Is <i>Not</i> Gender Neutral: Gender Inequality, Rights and Vulnerabilities in Bangladesh	103
9	Pathways of Climate-Resilient Health Systems in Bangladesh Muhammad Abdur Rahaman, Mohammad Mahbubur Rahman and Syed Hafizur Rahman	119
10	Internal Displacement Due to the Impacts of Disasterand Climate ChangeSanjib Kumar Saha and Dilruba Ahmed	145
11	Climate Change Adaptation in Urban Areas: A Critical Assessment of the Structural and Non-structural Flood Protection Measures in Dhaka Md Asif Rahman and Sadya Islam	161
12	Solar Home Systems in Bangladesh Maliha Muzammil and Raihan Uddin Ahmed	175
13	Synthesis: A Future for Bangladesh Under a Changing Climate	193
Mou	rection to: Climate Governance and Finance in Bangladesh Isumi Pervin, Pulak Barua, Nuzhat Imam, Md. Mahfuzul Haque Nahrin Jannat Hossain	C 1
Abo	ut the Institutions	205
Abo	ut the Editors	207

List of Figures

Fig. 2.1	Spatial distribution of agricultural adaptation practices	
	in the coastal region of Bangladesh	12
Fig. 3.1	Climate change impact on water-related hazards	25
Fig. 3.2	Frequency of hydrological disasters from 1960 to 2016	26
Fig. 3.3	Trend in the normalised economic damage	27
Fig. 3.4	Cumulative investment proportion in different categories	
	of water sector development	30
Fig. 3.5	Schematic of the Bangladesh Delta Plan.	34
Fig. 4.1	Map of sundarbans, mangrove plantations, and hill forests	
	in Bangladesh	42
Fig. 6.1	Governance structure of climate finance	77
Fig. 6.2	Climate finance projects in Bangladesh	80
Fig. 7.1	Increase of TV ownership over 20 years in Bangladesh	90
Fig. 7.2	Distribution of BTV programmes from 2009 to 2014	91
Fig. 8.1	Gender-Migration relationship	113
Fig. 9.1	Climate change threats to ecosystems and human health	121
Fig. 9.2	Malaria trends in Bangladesh from 1981 to 2010	123
Fig. 9.3	Climate change impacts on agricultural systems in Bangladesh	
	and pathways to malnutrition	127
Fig. 9.4	Locations of three distinct climate-vulnerable areas	129
Fig. 9.5	Health trends in the drought-prone Rajshahi district	
	from 2004 to 2010	130
Fig. 9.6	Health trends in the flood-prone Sirajganj district	
	from 2001 to 2010	130
Fig. 9.7	Seasonal occurrence of diarrhoea in saline-prone Patuakhali	
	district from 2001 to 2010	130
Fig. 9.8	Seasonal occurrence of malnutrition in saline-prone Patuakhali	
	district from 2001 to 2010	131
Fig. 9.9	Seasonal occurrence of skin diseases in saline-prone	
	Patuakhali district from 2001 to 2010	131
Fig. 9.10	Pathways to climate-resilient health	132

Fig. 10.1	Frameworks for situations surrounding and impact analysis	
	of internal displacement	148
Fig. 10.2	Selected study area and methods applied	149
Fig. 10.3	Proportion of displaced households due to floods	150
Fig. 10.4	Proportion of displaced households due to riverbank	
	erosion	150
Fig. 10.5	Proportion of displaced households (Hhs) due to salinity	
	intrusion	152
Fig. 10.6	Proportion of displaced households due to waterlogging	153
Fig. 10.7	Resettlement cost of households (Hhs) by total yearly	
	expenditure for each hazard	156
Fig. 12.1	Schematic diagram of an operational SHS	177
Fig. 12.2	Overview of SHS financing process of IDCOL	180
Fig. 12.3	Actors in Bangladesh's renewable energy policy landscape	185
Fig. 12.4	Actors in IDCOL's financing supply chain	186
Fig. 12.5	SHS adoption by year from sample data	188

List of Tables

Table 5.1	Summary of EBA measures undertaken in coastal	
	Bangladesh	56
Table 6.1	Trends of major risk reduction measures	69
Table 6.2	Number, amount and major activities of projects in three	
	different funds (Compiled by author from BCCTF (2014),	
	BCCRF (2014), and CIF (2014))	72
Table 6.3	Major activities under climate funds in Bangladesh	79
Table 9.1	Typology of climate-vulnerable areas and potential	
	health impacts in Bangladesh	125
Table 9.2	Main contributions of different interested parties	
	and institutions for promoting climate-resilient health	
	systems	134
Table 9.3	Technologies for water resilience in Bangladesh	140
Table 10.1	Education status by nature of displacement	154
Table 10.2	Ailments of the households	154
Table 10.3	Occupation of the displaced and never displaced	
	households	155
Table 10.4	Households (HHs) average resettlement cost compared	
	to yearly income and expenditure	155
Table 10.5	Results of logistic regression analysis	157
Table 11.1	Stakeholders in flood risk management in Dhaka	164

Chapter 1 Introduction: Bangladesh Responds to Climate Change



Helena Wright, Adrian Fenton, Saleemul Huq, Clare Stott, Julia Taub and Jeffrey Chow

Abstract Bangladesh is a country that is highly vulnerable to the impacts of climate change, and a broad range of practices have emerged to adapt to these impacts. The book presents a range of sectors that are affected by the impacts of climate change, such as agriculture, water and health, as well as covering thematic areas relating to responses to climate change, such as governance and finance, communication and gender. Measures to adapt to climate impacts in the agricultural sector range from hard engineering measures like construction of polders, to soft socio-economic measures, such as changes in cropping patterns. In the water sector, non-structural approaches to risk reduction include community-based disaster management initiatives. Across all practice areas there are barriers and challenges to confronting the impacts of climate change, including knowledge gaps. The chapters of this book emerged as part of the Gobeshona initiative in Bangladesh, a knowledge sharing platform for climate change research on Bangladesh.

Keywords Bangladesh · Adaptation · Climate · Impacts · Poverty

Bangladesh is a low-lying agrarian country located in the Ganges-Brahmaputra Delta, which is highly vulnerable to the impacts of climate change. A broad range of practices have been identified to adapt to these impacts, some of which are already taking place. The chapters of this book, which emerged out of the

Dr. Helena Wright, International Centre for Climate Change and Development (ICCCAD), Dhaka, Bangladesh, Corresponding Author, e-mail: drhelenawright@gmail.com.

Dr. Adrian Fenton, International Centre for Climate Change and Development (ICCCAD), Dhaka, Bangladesh.

Dr. Saleemul Huq, Director, International Centre for Climate Change and Development (ICCCAD), Dhaka, Bangladesh.

Clare Stott, International Centre for Climate Change and Development (ICCCAD), Dhaka, Bangladesh.

Julia Taub, Project Officer, Global Network of Civil Society Organisations for Disaster Reduction (GNDR), London.

Dr. Jeffrey Chow, International Centre for Climate Change and Development (ICCCAD), Dhaka, Bangladesh.

[©] Springer Nature Switzerland AG 2019

S. Huq et al. (eds.), *Confronting Climate Change in Bangladesh*, The Anthropocene: Politik—Economics—Society—Science 28, https://doi.org/10.1007/978-3-030-05237-9_1

Gobeshona initiative, present a range of sectors affected by climate change as well as thematic areas relating to responses to climate change in Bangladesh. In particular, agriculture is a sector which is affected by increased temperature and unpredictable rainfall patterns in Bangladesh (Mondal et al. 2012). As explained in Chap. 2, the agricultural sector employs around half of the civilian workers in Bangladesh and plays an important role in poverty reduction. The range of measures to adapt to climate impacts in the agricultural sector identified by Mondal et al. in this volume range from hard engineering measures like construction of polders, to soft socio-economic measures, such as changes in cropping patterns. Mondal et al. (2012) find that the majority of the identified adaptation practices in agriculture are for the purpose of implementing actions which reduce hazards, enhance production, and bring direct, tangible benefits. However, the agriculture chapter outlines a number of barriers in relation to these practices including a lack of capital, lack of access to resources, lack of knowledge and information, and lack of institutional capacity. In the coastal zone, the government is the primary provider of the identified agricultural adaptations, while Mondal et al. (2012) explain that the role of the private sector as an adaptation provider is not studied or well documented within adaptation literature.

The water sector and availability of freshwater both face the threat of loss and damage due to current and expected climate change impacts. As outlined in Chap. 3, Bangladesh's population of nearly 160 million relies heavily upon its hydrological systems and is therefore vulnerable to events that will be exacerbated by climate change, such as floods, storm surges, drought, sea level rise, and salinity intrusion, as well as loss of fish spawning grounds and reductions in agricultural production due to changes in the hydrological regime. As Mukherjee et al. explain in Chap. 3, the wetland systems of Bangladesh - known as "haor" regional rivers are susceptible to flash flooding which can affect harvests, and during the 2004 flood, more than two thirds of the boro production was lost due to an early flash flood event coinciding with the harvest (CEGIS 2012). However, while efforts have been made to adapt, it is noted in this volume that some initiatives may be maladaptive despite having claimed benefits over the short term. For instance, while river embankments have been constructed as adaptation measures these can also restrict the sediment inflow to the flood plain, reducing the nutrient availability of the topsoil (Brouwer et al. 2007). Mukherjee at al. explain that other non-structural approaches to risk reduction include early warning systems and community-based disaster management initiatives.

In Bangladesh, forests and wetlands are at risk from climate impacts, but protecting forests can also be considered as an opportunity to respond to climate change. As outlined in Chap. 4, mangrove forests are coastal forests that can help reduce damage from sea level rise and erosion (FAO 2007). However, as detailed by Chow et al. (in this volume) greenbelts can only provide the role of protecting against intense storms if they are appropriately designed and managed. The forest chapter describes major adaptation initiatives which have taken place for the conservation of the Sundarbans forest, which is the largest contiguous mangrove ecosystem in the world and is a UNESCO World Heritage Site. As explained by Chow et al. (in this volume), many important knowledge gaps remain that require continued investigation; for example, we do not know the width of mangrove plantation that will provide adequate storm protection, as currently these plantation widths are set almost arbitrarily. This demonstrates that further research is required to enhance the impacts of forests and wetlands for adaptation. Relatedly, plantation of mangroves can be considered as an example of *ecosystem-based adaptation* (EbA), which refers to the use of biodiversity and ecosystem services as part of a climate change adaptation strategy, as examined in Chap. 5. Among other ecosystem services, Saroar et al. explain in this volume that mangroves can provide a line of defence against cyclonic storm surges, erosion, and salinity intrusion for coastal communities, infrastructure, and livelihood assets, and can also provide pollution control, water purification, and improvement of drainage.

The chapter on Governance and Finance in this volume explains that in the initial stages, policy concerns for environmental protection in Bangladesh were reflected for the first time in the Fourth Five Year Plan (1990–1995), and have been included in other five-year plans since then. Since the signing of the Kyoto Protocol, Pervin et al. (in this volume) explain that the governance of climate change in Bangladesh has been characterised by specific interventions, such as the creation of policy provisions, research and technological innovations, and the establishment of funding entities. Bangladesh was the one of the few *Least Developed Countries* (LDCs) to develop a National Adaptation Programme of Action (NAPA) in 2005, and this was then revised in 2009. The Government of Bangladesh also unveiled the *Bangladesh Climate Change Strategy and Action Plan* (BCCSAP) in 2008. The chapter describes the various funding windows in Bangladesh including the *Bangladesh Climate Change Trust Fund* (BCCTF) established in 2009, the *Bangladesh Climate Change Resilience Fund* (BCCRF) established in 2010, and the *Pilot Programme for Climate Resilience* (PPCR).

Chapter 7 explains that media and education systems can play an important role in alerting and preparing people for climate-related disasters as well as empowering them to minimise risks, which means that raising public awareness and understanding of climatic risks through disseminating accurate information is an important part of building long-term resilience. At the global level, the Sendai Framework for Disaster Risk Reduction emphasises the utilisation and strengthening of all kinds of media to support successful disaster risk communication. The chapter on media and communication provides examples of different forms of communication interventions which are relevant to adaptation in Bangladesh. For example, in 2007 before the powerful Cyclone Sidr struck Bangladesh, the Bangladesh Government began to broadcast warnings five days in advance on radio and television (Paul/Dutt 2010). Emergency evacuation orders were also issued almost twenty-seven hours before landfall of the cyclone, which the authors argue helped reduce the death toll. The Government of Bangladesh has recognised the role of the media in the National Broadcasting Policy of 2014 (GoB 2014), which makes a provision for telecasting emergency weather bulletins and producing climate change awareness programmes, as Afroz et al. (in this volume) explain in this volume. Chapter 7 explains that there is a wealth of traditional knowledge that has been preserved for generations alongside locally adaptive mechanisms for survival, so this local knowledge can be being integrated within media interventions to appropriately support resilience.

Gender inequalities in Bangladesh often mean that women are more affected by climate change than male counterparts. The gender chapter highlights a few of these gender inequalities from the perspective of rights. It begins with a boxed text outlining international gender and climate change policy, followed by a section on the Bangladesh context and specific gender inequalities and discriminations that contribute to women's vulnerability. For example, a study by Neumayer/Plümper (2007) found that women and children are 14 times more likely to die or be injured in a disaster than men. Reggers explains in Chap. 8 that the decision-making over resource use, as well as buying and selling of land before or after climate-related events often rests with men. Finally, Reggers notes that women's relative lack of mobility in public spaces can result in women not receiving early warning signals before cyclones. The author finishes by providing examples of national and community level efforts to address the gender dimensions of climate change.

The health sector is another sector particularly affected by climate change in Bangladesh. The Intergovernmental Panel on Climate Change (IPCC 2014), cited in Chap. 9, affirms that "recent decades have seen warming air and ocean temperatures, changing rainfall patterns, variations in the frequency and intensity of several extreme events including droughts, floods and storms and rising sea levels" and that the changing climate will adversely affect the health of human populations. The chapter explains the three basic pathways by which climate change affects health: primary or direct impacts (such as heat stress), secondary or indirect impacts (such as shifts in diseases), and tertiary or long-term implications (mediated by social, political and economic systems). Rahaman et al. argue in this volume (Chap. 9) that the increasing frequency of extreme climatic events such as floods can affect health infrastructure like hospitals, clinics and healthcare facilities, while climatic events that result in reduced food production can affect nutrition due to the declining food quality and quantity. As for other impacts, women, children and the elderly are often particularly vulnerable.

Chapter 10 explains that climate-related events such as cyclones, land erosion and flooding can also contribute to displacement and human migration. In the context of Bangladesh this can either lead to increased risk or create new opportunities. As Saha et al. explain in this volume, those who are forced to leave their homes often take shelter in places where they lack legal rights or social services, but there are also examples where settling in a new location offers opportunities for coping and resilience. Internal displacement and migration in Bangladesh is also linked to the movement of people to cities. Urban areas are also expanding in Bangladesh, partly in response to rural environmental and climate hazards. Taking the case of Dhaka, Chap. 11 finds that flooding poses a significant threat and the city lacks proper mechanisms to counter flooding, due to the combination of Dhaka's climatic and geographical conditions, as well as weak political and economic capacity to address the situation. Unregulated housing developments in low-lying areas can exacerbate the problem by preventing natural drainage (Morshed 2013). The authors identify solutions such as the need for flood warning systems and well-managed and equipped flood shelters.

Finally, in the energy sector, solar home systems have emerged as a widespread technology enabling electrification to reach remote rural communities. As Muzammil and Ahmed explain in Chap. 12, the Solar Home System (SHS) programme in Bangladesh has grown to be one of the largest off-grid electrification initiatives in the world, and has also been described by the World Bank as the fastest growing SHS programme in the world (World Bank 2014). The final chapter reflects on the benefits of solar home systems for low carbon, resilient development opportunities in Bangladesh, as well identifying emerging challenges and lessons for other countries. It is noted that the SHS programme in Bangladesh benefitted largely from a strong pre-existing network of competitive microfinance institutions with a broad reach in rural areas (Sadeque et al. 2014). Overall, Muzammil and Ahmed note that increased support from donors allowed the programme to reach the poor, as well as enhance market development and catalyse finance for smaller players, providing an innovative funding model with lessons for other countries.

The chapters of this book all emerged as part of the Gobeshona initiative in Bangladesh, a knowledge sharing platform for climate change research on Bangladesh that aims to bring together the national and international research community to encourage sharing, enhance research quality and make climate change research on Bangladesh more effective (ICCCAD 2017). Some chapters address sectors that are particularly vulnerable to climate change, including agricultural, coastal zones, water, while others address particular thematic issues of relevance to adaptation in Bangladesh, including governance, communication and gender. The aim is to connect researchers with other stakeholders, with the hope that the resulting publications can be used in response to climatic impacts in Bangladesh.

References

- Brouwer R, Akter S, Brander L, Haque E (2007). Socioeconomic vulnerability and adaptation to environmental risk: a case study of climate change and flooding in Bangladesh. Risk Analysis 27: 313–326.
- Center for Environmental Geographic Information Systems (CEGIS) (2012). Master plan of haor areas. Dhaka: Bangladesh Haor and Wetland Development Board, Ministry of Water Resources, Government of the Peoples Republic of Bangladesh.
- Food and Agriculture Organization of the United Nations (FAO) (2007). The World's Mangroves 1980–2005. FAO Forestry Paper 153. FAO, Rome, Italy.
- GoB (2014). Bangladesh Gazette. Bangladesh Government Press, Dhaka, Bangladesh.
- IPCC (2014). Climate Change 2014: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 1039–1099.

- International Centre for Climate Change and Development (2017). Available at: http://www. icccad.net/gobeshona/, accessed on 29 November 2017.
- Mondal MS, Islam AKMS, Modhu MK (2012). Spatial and temporal distribution of temperature, rainfall, sunshine and humidity in context of crop agriculture. Comprehensive Disaster Management Program, Ministry of Food and Disaster Management, Dhaka.
- Morshed MM (2013). Detailed Area Plan (DAP): Why It Does Not Work? Planned Decentralization: Aspired Development: Souvenir published on World Habitat Day. Available at: http://www.bip.org.bd/SharingFiles/journal_book/20140128161651.pdf.
- Neumayer E, Plümper T (2007). The gendered nature of natural disasters: the impact of catastrophic events on the gender gap in life expectancy, 1981–2002. Annals of the Association of American Geographers, 97(3), 551–566.
- Paul BK, Dutt S (2010). Hazard warnings and responses to evacuation orders: the case of Bangladesh's cyclone Sidr. Geographical Review 100 (3):336–355.
- Sadeque Z, Rysankova D, Elahi R, Soni R. (2014). Scaling up access to electricity: the case of Bangladesh. Live Wire 2014/21, World Bank Group. Available at: https://openknowledge. worldbank.org/bitstream/handle/10986/18679/887020BRI0Live00Box385194B00PUBLIC0. pdf?sequence=1, accessed on 6 September 2016.
- World Bank (2014). http://www.worldbank.org/en/news/press-release/2014/06/30/bangladeshreceives-usd-78-million-to-install-an-additional-480000-solar-home-systems, accessed on 6 September 2016.

Chapter 2 Agricultural Adaptation Practices to Climate Change Impacts in Coastal Bangladesh



M. Shahjahan Mondal, Mohammad Towheedul Islam, Debanjali Saha, Muhammad Shahriar Shafayet Hossain, Prodip Kumar Das and Rezaur Rahman

Abstract Bangladesh is an agrarian country and about one-third of its cultivable lands are in coastal and offshore areas which are highly vulnerable to climate change impacts. To adapt to such impacts, a number of policies, plans and adaptation measures have been suggested. However, it is not clear how many of these potential adaptation measures are actually in practice. In this study, we carry out an inventory of agricultural adaptation practices in the coastal zone of Bangladesh and present a synthesis of the inventory. The inventory is developed by recording multiple dimensions of adaptations. It records the purpose, geographic location, provider/beneficiary, timing, drivers, barriers to adaptation, gender aspects and sustainability issues of the adaptation practices. The findings of the study indicate that about 85 agricultural adaptations are now in practice, the majo rity of which are infrastructural-technological in scope. Almost all the adaptations are deliberate actions which come with a tangible aim of taking action/implementing change. The majority of the adaptations have been in response to long-term chronic stresses, such as salinity. Lack of capital, access to resources, knowledge and information, and centralised decision-making process appear to be some of the barriers to taking up the adaptations. The current evidence suggests that Bangladesh has embraced a

© Springer Nature Switzerland AG 2019

M. Shahjahan Mondal, Institute of Water and Flood Management, Bangladesh University of Engineering and Technology, Dhaka-1000, Bangladesh, Corresponding Author, e-mail: mshahjahanmondal@iwfm.buet.ac.bd.

Mohammad Towheedul Islam, Department of International Relations, University of Dhaka, Bangladesh and Refugee and Migratory Movement Research Unit, University of Dhaka, Bangladesh.

Debanjali Saha, Institute of Water and Flood Management, Bangladesh University of Engineering and Technology, Dhaka, Bangladesh.

Muhammad Shahriar Shafayet Hossain, Institute of Water and Flood Management, Bangladesh University of Engineering and Technology, Dhaka, Bangladesh.

Prodip Kumar Das, Refugee and Migratory Movement Research Unit, University of Dhaka, Bangladesh.

Rezaur Rahman, Institute of Water and Flood Management, Bangladesh University of Engineering and Technology, Dhaka, Bangladesh.

S. Huq et al. (eds.), *Confronting Climate Change in Bangladesh*, The Anthropocene: Politik—Economics—Society—Science 28, https://doi.org/10.1007/978-3-030-05237-9_2

mix of adaptations for agricultural development, though there are still areas for improvement.

Keywords Adaptation practice • Agriculture • Coastal area • Adaptation inventory Gaps between policy and practice

2.1 Introduction

Bangladesh is a small country with a large population of about 160 million. About 32% of its population live below the upper poverty line and 18% below the lower poverty line (BBS 2013). The per capita net cropped area available in the country is less than 0.05 ha. Bangladesh is an agrarian country, and about 53% of households have farmland holdings and 48% of civilian workers are employed in the agriculture sector (BBS 2011, 2013). Being a predominantly deltaic country, about 57% of its total area is cultivable. There are three overlapping crop seasons (Rabi, Kharif-I and Kharif-II) and rice is the single most dominant crop cultivated in all these seasons, with about 77% coverage of the total cropped area. Jute, potato, wheat, maize, oilseeds, pulses, vegetables and spices are among the major non-rice crops. Agriculture plays an important role in rural employment and poverty reduction. Irrigated agriculture in particular plays a significant role in enhancing agricultural production and income, which contribute to the reduction of poverty and improvement in living conditions (Saleh/Mondal 2009). However, the agriculture sector is highly vulnerable to climate change impacts induced by global warming. Increased temperature, erratic and unpredictable rainfall, shortening of winter, foggy weather, sea level rise, increased flooding, and increased cyclones and storm surges are among the hydro-climatic factors which affect the country's agriculture sector (Mondal et al. 2012).

About one-third of the cultivable land in Bangladesh lies in the coastal and offshore areas. These areas are even more vulnerable to the effects of climate change due to their proximity to the sea, low land topography, the confluence of the mighty Ganges-Brahmaputra-Meghna rivers, reduced freshwater supplies from upstream, and fragile agro-ecosystems. About 37% of the cultivable coastal land is already affected by varying degrees of soil salinity (Mondal et al. 2015). The spatial extent of such area is increasing over time. Between 1973 and 2009, the salt-affected coastal and offshore areas increased by about 27% (SRDI 2012). Apart from salinity, cyclones, storm surges, tidal flooding, waterlogging and erosion are among the major hazards in the coastal areas. The frequency and intensity of these hazards are expected to increase, and their adverse impacts are likely to intensify under the changing climatic and environmental conditions in the future. In addition, the relatively high incidence of poverty and the high proportion of people dependent on ecosystems for their livelihoods further add to the vulnerability of coastal people to climate change impacts. To mitigate the adverse effects of climate change, adaptation is seen as a practical strategy in both policy and practice.

A number of studies have been conducted on agricultural adaptations in Bangladesh. However, most of these studies have been on potential adaptation options rather than on adaptation practices. For example, different kinds of studies were recommended in Brammer et al. (1993) to improve knowledge about the probable impacts of climate change on plant growth and yield, and to monitor environmental changes as they occur. Adoption of hybrid rice, development of pest and disease-resistant, stress-tolerant and short-duration crop cultivars, and development of crop varieties with low-transpiration ratios were postulated as potential adaptation options under a changed climate (Karim et al. 1998). Awareness building, infrastructural development, disaster preparedness, post-disaster rehabilitation, crop varietal development, improvement in agricultural management practices, development of agricultural extension services, promotion of agro-processing techniques, market infrastructure development, improved irrigation and water management, and integrated coastal zone management were identified as adaptation options by Karim (2011). Seventeen rice varieties have been developed in Bangladesh to withstand adverse climatic and environmental conditions (Rabbani et al. 2015). Two of them are submergence-tolerant, nine are salt-tolerant and the remaining varieties are drought-resistant. Other studies on potential adaptation options relate to crop agriculture (Ericksen et al. 1993; Ali 1999; World Bank 2000, 2011; Faruque/Ali 2005; Ahmed 2006; Asaduzzaman et al. 2010; Rawlani/Sovacool 2011; Asia Foundation 2012; Dev 2013). In contrast, there are relatively fewer studies on adaptation practices, i.e., on evidence of adaptations (Younus et al. 2005; Oxfam International 2009; Ahmed 2010; Sterrett 2011; Abedin/Shaw 2013). Also, there is no systematic study on such practices in Bangladesh from a holistic perspective, i.e., answering questions like which groups are adapting and benefiting, what have been the major drivers of adaptation, what are the ultimate aims of adaptations, in which geographical locations are adaptations occurring, whether the gender dimension is taken into account, etc. These holistic studies are also not available in the international arena with the exception of the one done for the UK by Tompkins et al. (2010). Such a study would help inform where Bangladesh stands in terms of adapting to climate change, identifying successful and unsuccessful adaptations, and designing better climate change policies and actions in the future.

2.2 Methodology

This study was conducted in the coastal zone of Bangladesh, as it represents the most vulnerable part of the country. Since there are a number of definitions of climate change adaptation, we draw on the IPCC (2014) definition: "The process of adjustment to actual or expected climate and its effects. In human systems, adaptation seeks to moderate harm or exploit beneficial opportunities". The study looks at adaptation to climate stressors, which include exposure to sudden-onset shocks, such as floods, and/ or to slow-onset stresses, such as changes in temperature and rainfall. Adaptation in this study also refers only to adjustments made by humans.

Following this definition, an inventory of adaptation practices in the coastal zone of Bangladesh was prepared in order to collate the literature. To prepare the inventory, a protocol was first developed to collect evidence of adaptation to climate change. Currently observed and documented agricultural adaptations were within the purview of the protocol. The experience in developing the UK inventory of observed adaptations (Tompkins et al. 2009) helped in the formulation of the protocol for this inventory. Though agriculture broadly encompasses crop, livestock, forestry and fishery sectors in some countries, only crop agriculture was considered in this study, as the agriculture ministry in Bangladesh is responsible solely for the crop sector and there are separate ministries and statistics available for others. Published literature - both peer-reviewed and grey - was collated in a universal spreadsheet template. No distinction was made between peer-reviewed and grey literature to qualify for the inventory except that the grey literature must contain authors/institutions, content with evidence of adaptation and year of publication. The template had 43 columns recording inter alia the purpose, geographic location, provider/beneficiary, timing, drivers, barriers to participation, gender issues, current and future damaging aspects, and long-term sustainability of the adaptation practices.

We collected literature available in both printed and electronic copies. Printed literature available from different national government agencies, non-governmental organisations, and academic and research institutes was collected. The Bangladesh Climate Change Trust Fund (BCCTF) has funded 219 projects since 2009-10 and the Bangladesh Climate Change Resilience Fund (BCCRF) has funded 13 projects. The documents available on these projects were collected and included in the inventory. For electronic literature, we searched in a number of online sources including academic databases (ScienceDirect, Springer, Wiley, OARE, etc.) and organizational web pages. The databases were searched with a number of relevant keywords, such as adapt, resilien, vulnerab, climat, chang, variab, extreme, weather, disaster, risk, cop, recover, rehabilitat, repair, migrat, displac, hazard, insurance, etc. and their appropriate combinations using Boolean and truncation operators. In addition, formal letters were sent to about 30 government, non-government and private organisations with a request to share available adaptation related documents. After sending the letters, the organisations were also contacted over telephone or in person. A few more documents were received through these processes and included in the inventory. One limitation of this approach was that only those practices which have been documented and defined as 'adaptations' were qualified to be included in the inventory. Many autonomous or spontaneous adaptations could be occurring in the coastal zones without proper documentation. Also, we did not attempt to identify to what extent the adaptations were in reaction to climatic impacts caused by global climate change or by other contextual factors, as that was beyond the scope of the study.

A half-day national workshop was arranged in Dhaka in 2015 to share and validate the findings of the inventory. The workshop was well attended by adaptation practitioners, professionals, implementers, academics, and researchers from different government and non-government organisations.