

Index

Page numbers in *italics* denote figures, those in **bold** denote tables.

- A blood group **336**
 AB blood group **336**
 abciximab **319**, 320
 ABO blood group system 334–5, **336**, **336**, **337**
 antibodies 334, **336**
 haemolytic disease of newborn 352
 and venous thrombosis 306
 ABVD regimen 211
 acanthocytes 23
 acanthocytosis 325
 aciclovir 259
 acquired haemolytic anaemias 68–71
 chemical and physical agents 71
 immune 68–70, **68**, **69**, **70**
 infections 71
 march haemoglobinuria 70
 red cell fragmentation syndromes 70, **70**
 actin 19
 activated partial thromboplastin time (aPTT) 276, **276**
 coagulation disorders **294**, **299**
 activated protein C (APC) 275, 275, 304
 activation domain 8
 acute hyperviscosity syndrome 221
 acute lymphoblastic leukaemia (ALL)
 186–96
 BCR-ABL1 positive 194–5
 classification 188, **188**, **189**
 clinical features 188, **188**, **189**
 CNS-directed therapy 193
 cytogenetics/molecular genetics 189–91, **190**, **191**
 immunological markers **189**
 incidence and pathogenesis 187, **187**
 intensification (consolidation) therapy 192–3
 investigations 188–9, **189**, **189**
 maintenance therapy 193–4
 minimal residual disease 192, **193**
 prenatal origin **187**
 prognosis **194**, **196**, **195**
 relapse **193**, **194**
 remission induction 192
 specific therapy 192, **192**, **194**
 supportive therapy 192
 toxicity of therapy 194
 acute myeloid leukaemia (AML) 145–55
 blood film **150**
 classification **146**, 147–8
 clinical features 148, **148**, **149**
 cytogenetics/molecular genetics **146**, 149, **151**, **151**, **152**
 incidence 147
 investigations 148–9, **149**
 older patients 153
 outcome 154, **155**
 pathogenesis 147, **147**
 prognosis **151**, **153**
 relapse 154
 stem cell therapy 153
 treatment 149, 151–3, **152–4**
 acute promyelocytic leukaemia 149
 treatment 152–3
 ADAMTS13 267, 285, **285**, **286**
 adaptive immune system 88
 adhesion molecules 8
 adriamycin **142**
 BEACOPP regimen 211
 adult T-cell leukaemia/lymphoma 203, 204, **226**
 African iron overload 43
 age effects *see* older patients
 AIDS *see* HIV/AIDS
 Alder's anomaly 93
 alemtuzumab **143**
 aplastic anaemia 246
 CLL 201
 alkylating agents 140, **141**, **142**
 see also individual drugs
 ALL *see* acute lymphoblastic leukaemia
 all-trans retinoic acid (ATRA) **141**, **144**, **152**
 ATRA syndrome 153
 allele-specific priming 85
 allergic reaction to blood transfusion 342
 allogeneic stem cell transplantation 236, **255–62**
 chimaerism analysis 256
 complications 256–61, **258**
 donor leucocyte infusions 261, **262**
 graft failure 260
 graft-versus-leukaemia effect 261, **261**
 HLA system 255–6, **255**, **256**
 post-transplant lymphoproliferative diseases 261–2, **262**
 alloimmune haemolytic anaemias 70
 alternative complement pathway 109, **109**
 amegakaryocytic thrombocytopenia 244
 aminocaproic acid 280
 γ -aminolaevulinic acid 16, 29
 AML *see* acute myeloid leukaemia
 amplification enzyme system 109
 amplifications 130
 amyloidosis 23–9, **239**, **239**
 anaemia 19–25, **20**
 aplastic 91, 243–7
 blood film 22–3, **23**
 bone marrow in 23–4, **24**
 of chronic disorders 37, **37**, **38**, **322**, **322**
 classification **22**
 clinical features 20–1, **21**
 congenital dyserythropoietic 249
 global incidence 19–20
 haemolytic *see* haemolytic anaemias
 HIV/AIDS 328
 hypochromic 27–40, **28**
 ineffective erythropoiesis 24–5, **25**
 iron deficiency 32–7
 laboratory findings 33, **38**
 lead poisoning 39
 leucocyte and platelet counts 22
 macrocytic 49, 58–9, **58**
 malignant disease 322, **323**
 megaloblastic *see* megaloblastic anaemia
 microangiopathic haemolytic 70, **322**
 neonate 349–50, **349**
 older patients 322
 pernicious 52–3, **53**
 pregnancy 347, **347**
 of prematurity 350
 red cell indices 21
 refractory **178**
 renal failure 325, **325**
 sideroblastic 38–9, **38**, **38**, **39**
 see also specific types
 anaplastic large cell lymphoma 226
 androgens in aplastic anaemia 246
 aneuploid cells 127
 angiimmunoblastic lymphadenopathy 226
 angular cheilosis **34**, **54**
 ankyrin 19
 anthracyclines **141**, **142**

- anti-emetics in haematological malignancies 137
- antibiotics 139
 - cytotoxic **142**, 143
- antibody-dependent cell-mediated cytotoxicity 106
- anticardiolipid antibodies **307**
- anticoagulants 312–18, **312**
 - direct-acting parenteral 315
 - heparin **299**, 312–15, **313**
 - oral 315–18, **315–17**
 - vitamin K antagonists 315–18, **315–17***see also specific drugs*
- antigen-presenting cells (APCs) 109
- antigen-receptor gene rearrangements 107, **107**, **108**
- antigenic specificity 103
- antiglobulin test 65, **340**, **340**
- antihæmophilic factor *see* factor VIII
- antihuman globulin 340
- antimetabolites 141, **141**, **142**, 143
- antiphospholipid syndrome 307
- antiplatelet drugs 287, 318–20, **319**, **319**
- antithrombin deficiency 305
- antithymocyte globulin 246
- antiviral drugs 139
- apixaban **317**, 318
- aplastic anaemia 91, 243–7, **243**
 - causes **243**
 - clinical features 245–6, **245**
 - congenital (Fanconi anaemia) 244, **244**
 - diagnosis 246
 - idiopathic acquired 244
 - laboratory findings 246
 - pathogenesis 244
 - secondary causes 245
 - treatment 246–7
- apoptosis 9–10, **9**
- argatroban 315
- arsenic **143**, 144
- arterial thrombosis 303, **303**, **303**
- Ashwell-Morell receptor 266
- asparaginase **141**, **143**, 144
- aspergillosis 139–40, **139**, **140**
- aspirin 319, **319**
 - platelet function disorders 287, **288**
 - polycythaemia vera 171
- atherosclerosis *see* arterial thrombosis
- ATRA syndrome 153
- atrophic gastritis 33, 35, 37, 53
- Auer rods **150**
- autoimmune gastritis 35, 52
- autoimmune hæmolytic anaemias 68–70, **69**
 - classification **68**
 - cold 69–70
 - warm 68–9, **69**
- autoimmune (idiopathic) thrombocytopenic purpura 282–3, **282**
 - see also* idiopathic thrombocytopenic purpura
- autologous blood transfusion 343–4
- autologous stem cell transplantation 254, **255**
- automated blood cell counter **12**
- autotransfusion 343–4
- azacytidine **142**
 - myelodysplasia 184
- azathioprine **141**
- B** blood group **336**
- B cells 103–4
 - functional aspects **105**
 - immunodeficiency **113**
- B-cell chronic lymphoid leukaemias 198–203
- B-cell prolymphocytic leukaemia 202, **202**
- B-cell receptor 104, **105**
- bacterial infections
 - in cancer patients 138–9
 - haematological changes 327–8
 - and haematological malignancies 125
 - transfusion-related **339**, **342**
- band neutrophils 89, **89**
- Barr bodies 94
- basket cells 23
- basophil leucocytosis (basophilia) 97
- basophils **12**, 88, 88, 90
 - blood count **20**, **88**
- BCL-2 **9**
- BCR-ABL inhibitors **142**, 143
- BCR-ABL1 mutation 161, 187, 194–5
- BEACOPP regimen 211
- Bence-Jones protein 232
- bendamustine **142**
- benign ethnic neutropenia 95
- Bernard-Soulier syndrome 266, 287
- bilirubin 61
- biopsy of bone marrow 24, **24**, **25**
- bisphosphonates 237
- bivalirudin 315
- blackwater fever 329
- bleeding disorders 278–89
 - abnormal bleeding 279, **279**
 - thrombocytopenia *see* thrombocytopenia
 - vascular 279–80, **279**
- bleeding time 277
- bleomycin **141**, **142**, 143
 - BEACOPP regimen 211
- blood cells 12, **12**, **12**, **13**
 - count *see* blood count
 - see also* red cells; white cells
- blood coagulation *see* coagulation
- blood components 343–5, **343**
- blood count **20**, **88**, **276**
 - see also specific cell types*
- blood disorders and venous thrombosis 307
- blood donors 334, **335**
 - see also* blood transfusion
- blood film 276
 - acute myeloid leukaemia **150**
 - adult T-cell leukaemia/lymphoma **203**
 - ALL **190**
 - anaemia 22–3, **23**
 - autoimmune hæmolytic anaemia **69**
 - B-cell prolymphocytic leukaemia **202**
 - β -thalassaemia major **79**
 - CLL **199**
- blood film CML, **159**, **163**
 - diffuse large B-cell lymphoma **224**
 - eosinophilic leucocytosis **97**
 - G6PD deficiency **67**
 - hairy cell leukaemia **203**
 - hereditary spherocytosis **65**
 - iron deficiency 34, **34**, **35**
 - large granular lymphocytic leukaemia **203**
 - liver disease **325**
 - lymphocytosis **112**
 - malignant disease **323**, **324**
 - mantle cell lymphoma **223**
 - megaloblastic anaemia **55**
 - microangiopathic hæmolytic anaemia **70**
 - multiple myeloma **235**
 - myelodysplasia **183**
 - myelofibrosis **174**
 - non-Hodgkin lymphoma **218**
 - renal failure **325**
 - sickle cell anaemia **84**
 - splenic atrophy **117**
 - thrombocythaemia **173**
 - thrombotic thrombocytopenic purpura **286**
- blood groups
 - antibodies 334, **336**
 - determination of **340**, **340**
 - serology 339–40
 - see also individual blood groups*
- blood loss *see* haemorrhage
- blood products
 - haematological malignancies 136–7
 - irradiated **342**
 - post-stem cell transplant 259
 - reduction of use 342–3
 - see also* blood transfusion

- blood salvage 344
- blood transfusion 333–45, 334
 - autologous 343–4
 - bacterial contamination 342
 - blood group serology 339–40
 - complications 340–2, **341**
 - cross-matching and pre-transfusion tests 340, 340, **341**
 - hazards of 338–9, **338**, **339**
 - iron overload 44, 44, 45, 342
 - massive transfusion syndrome 287
 - post-transfusion purpura 284, 342
 - protection of recipient **338**
- bone morphogenetic protein (BMP) 30
- bone marrow 2, 2
 - ALL 188
 - anaemia 23–4, 24
 - biopsy 24, 24, **25**
 - failure 245
 - HIV/AIDS 329
 - iron stores 34, 35
 - myelodysplasia 180
 - pluripotent stem cells 3
 - red cell aplasia 247
 - stroma 4, 4
 - transplantation 251
 - trepine biopsy 24, 24, **25**
- Borrelia burgdorferi* **339**
- bortezomib 141, 143, **143**
 - mantle cell lymphoma 223
 - multiple myeloma 237
 - VMP regimen 235
- bosutinib **142**, **160**
- bridging anticoagulation 316–17
- Brucella melitensis* **339**
- Burkitt lymphoma 224–5, 225
 - cytogenetics **217**
 - immunophenotype **217**
- burr cells 325
- C-reactive protein 332
- C282Y mutation 43
- CALR (calreticulin) mutation 166, 167, **172**
- Candida* infections in cancer patients 140
- CAR (chimeric antigen receptors) 194
- carfilzomib **143**
 - multiple myeloma 235, 237
- caspases 9
- CD2 **189**
- CD3 **189**
- CD7 **189**
- CD10 **189**
- CD11c **147**
- CD13 **147**
- CD14 **147**
- CD19 **189**, 194
- CD20 antibodies 201
- CD22 **189**
- CD33 **147**
- CD39 270
- CD41 **147**
- CD42 **147**
- CD52 antibodies 201
- CD61 **147**
- CD64 **147**
- CD79a **189**
- CD117 **147**
- Cdks 8
- CDT regimen 235
- cell cycle 8
- central nervous system lymphoma 224, 225
- central venous catheters 136, 136
- centroblasts 111
- centromere 128, 129
- cerebral lymphoma 224, 225
- checkpoints 8
- Chédiak-Higashi syndrome 93, 94, 95
- chelation therapy 45–7, 46
- chemical exposure
 - acquired haemolytic anaemias 71
 - haematological malignancies 124
- chemokines 92–3
- chemotaxis 92
 - defects 93
- children
 - blood count **88**
 - Burkitt lymphoma 224–5, 225
 - haemolytic uraemic syndrome 286
 - iron requirements **33**
 - juvenile myelomonocytic leukaemia 184
 - myelodysplasia **178**
 - sites of haemopoiesis **2**
 - see also* neonates
- chimaerism 256
- chimeric antigen receptors (CAR) 194
- chlorambucil **142**
- 2-chlorodeoxyadenosine **142**
- CHOP regimen 223
- Christmas disease *see* haemophilia B (Christmas disease)
- Christmas factor *see* factor IX
- chromosomes 127–9, 128, 129
- chronic disorders, anaemia of 37, **37**, **38**, 322, **322**
- chronic eosinophilic leukaemia 164
- chronic lymphocytic leukaemia (CLL) 198–202
 - classification **198**
 - clinical features 198–9, 198, 199
 - course 202
 - cytogenetics **217**
 - immunophenotype **200**, **217**
 - laboratory findings 199–200, 199
 - molecular tests 200, **200**
 - pathogenesis 198
 - prognosis **202**
 - staging 200, **201**
 - treatment 200–2
- chronic lymphoid leukaemias 197–204
 - B-cell 198–203
 - diagnosis 198
 - T-cell 203–4
 - see also specific types*
- chronic myeloid leukaemia (CML) 156–64, **157**
 - accelerated phase disease 162–3
 - atypical 184
 - clinical features 159
 - genetic mutations **166**
 - laboratory findings 159, 159
 - Philadelphia chromosome 157–8
 - prognostic scores 159
 - stem cell therapy 162, 163
 - treatment 160–2, 160–3, **160**, **162**
- chronic myelomonocytic leukaemia 180, 184
- chronic neutrophilic leukaemia 164
- ciclosporin
 - aplastic anaemia 246
 - CLL 201
- cidofovir 259
- classical complement pathway 109, 109
- clg **189**
- CLL *see* chronic lymphocytic leukaemia
- clofarabine **142**
- clonal abnormalities **128**
- clonal progression 125, 127, 127
- clopidogrel 287, 288, **319**, 320
- Clostridium perfringens* 328, 328
- CNS *see* central nervous system
- coagulation 270–3
 - amplification 272–3, 272
 - in vivo* 270–1
 - initiation 271
 - physiological limitation 274
 - see also* haemostasis
- coagulation cascade 270, 271
- coagulation disorders 290–301
 - acquired 296–301, **296**
 - circulating antibodies 300–1
 - disseminated intravascular coagulation 287, 297–300, 298
 - haemophilia A 291–5

coagulation disorders (*continued*)

- haemophilia B (Christmas disease) **293**, **294**, 295
- hereditary 291–6, 291
- liver disease 297
- malignant disease 322–3, **324**
- massive transfusion syndrome 287, **299**, 301
- renal failure 326
- von Willebrand disease **294**, 295–6, **295**
- coagulation factors **271**, **273**
 - assays 277
 - circulating antibodies 300–1
 - inhibitors 275
 - vitamin K deficiency 296–7, 297
 - see also specific factors*
- cobalamin 49
- cold autoimmune haemolytic anaemias 69–70
- colony-stimulating factor (CSF) 90
- colorectal carcinoma 36
- complement 109, 109
- compression paraplegia 237
- compression ultrasound 308
- computed tomography *see* CT
- conditioning of stem cells 253
- congenital dyserythropoietic anaemia 249
- congestive heart failure 326
- conjunctival pallor 21
- connective tissue disorders 279
 - haematological changes 324
 - see also specific conditions*
- contrast venography 308
- Coombs' test 65, 340, 340
- cords of spleen 117, 117
- corticosteroids **142**, 143
 - idiopathic thrombocytopenic purpura 283
- coumarins *see* warfarin
- Coxiella burnettii* **339**
- CRAB acronym 231
- Creutzfeldt-Jacob disease 339, **339**
- cross-matching of blood 340, 340
- cryoprecipitate 344
- CT
 - multiple myeloma 233
 - non-Hodgkin lymphoma 219, 220
- CT pulmonary angiography 309, 309
- cyclin-dependent protein kinases *see* Cdk
- cyclins 8
- cyclophosphamide **142**
 - BEACOPP regimen 211
 - CHOP regimen 223
 - CLL 200
 - R-CVP regimen 222

cytogenetics

- ALL 189–91, 190, 191
- AML **146**, 149, 151, **151**, 152
- Burkitt lymphoma **217**
- CLL **217**
- diffuse large B-cell lymphoma **217**
- follicular lymphoma **217**
- hairy cell leukaemia **217**
- lymphoma **217**
- lymphoplasmacytic lymphoma **217**
- MALT lymphoma **217**
- mantle cell lymphoma **217**
- myelodysplasia **179**
- cytokinesis 8
- cytomegalovirus infection
 - haematological changes 328
 - post-stem cell transplant 259
 - transfusion-related 338
- cytosine arabinoside 141, **142**
- cytotoxic drugs 140–3, 141, **142–3**
- D-dimer 277
 - deep vein thrombosis 308
 - pulmonary embolus 309
- dabigatran **317**, 318
- dasatinib **142**, **160**
- daunorubicin **142**
- DDAVP 267, 293–4, 296
- decitabine **142**, 184
- deep vein thrombosis 308, **308**
 - prophylaxis 318
 - see also* thrombosis
- deferisirox 45, 46
- deferiptone 45–6, 46
- deferioxamine 46
- deletions 129, 130
- demethylation agents 141, **142**, 144
- dendritic cells 97, **98**, 109
 - neoplasms 226
- deoxycoformycin **142**
- deoxyhaemoglobin 17
- 1-diamino-8-D-arginine vasopressin *see* DDAVP
- Diamond-Blackfan syndrome 244, 247, **248**
- differentiation syndrome 153
- diffuse large B-cell lymphoma 223–4, 224
 - cytogenetics **217**
 - immunophenotype **217**
- dihydrofolate reductase 51, 52
- diploid cells 127
- dipyridamole 287, 320
- direct antiglobulin test (DAT) 340
- disseminated intravascular coagulation 287, 297–300, 298

clinical features 298–9, 299

- laboratory findings 299, **299**
- pathogenesis 297–8, **298**
- treatment 299–300, **300**
- divalent metal transporter 1 *see* DMT-1
- DMT-1 29, 30
- DNA methylation 179
- DNA microarrays 131, 132
- DNA-binding domain 8
- Döhle bodies 93
- Donath-Landsteiner antibody 69–70
- donor leucocyte infusions 162, 253, 261, 262
- driver mutations 125, 147
- drug interactions, oral anticoagulants 315, **316**, **317**
- drug-induced disorders
 - aplastic anaemia **243**
 - haematological malignancies 124
 - immune haemolytic anaemias 70, 70
 - neutropenia 95
 - platelet function 287, 288
 - thrombocytopenia 281, **281**, 284, 284
- Duffy blood group system **336**
- duplications 129, 130
- dyskeratosis congenita 244
- Eastern Cooperative Oncology Group (ECOG) Performance Status 136, **136**
- echinocytes 23
- eculizumab 247
- edoxaban **317**
- Ehlers-Danlos syndrome 279
- electrocardiogram in pulmonary embolus 308
- elliptocytes 23
- elliptocytosis 19
 - hereditary **64**, 65, 65
- eltrombopag 246, 283, 284
- Embsen-Meyerhof pathway 18, 18
- defects 67–8
- endothelial cells 273, 274
- enteropathy-associated T-cell lymphomas 226
- eosin-5-maleimide 65
- eosinophils **12**, 88, 88, 90
 - blood count **20**, **88**
- eosinophilic granuloma 98
- eosinophilic leucocytosis (eosinophilia)
 - causes 96–7, 97, **97**
 - myeloid neoplasms **166**
- epigenetic changes 129, 130–1
- epigenetics 8–9, **8**, 130, 178
- Epstein-Barr virus (EBV) 111–12
 - antibody 113
 - post-stem cell transplant 259

- eptifibatide **319**, **320**
 erythroblasts **13**
 erythrocyte sedimentation rate **330**, **332**
 erythrocytes *see* red cells
 erythrocytosis (primary polycythaemia) **168**, **168**
 erythropoiesis **11–26**
 assessment of **25**
 ineffective **24–5**, **25**
 erythropoietin **5**, **6**, **13–16**, **15**, **326**
 clinical uses **16**
 and haemoglobin production **15**
 indications for therapy **16**
 thrombocythaemia **172**
 essential thrombocythaemia *see* thrombocythaemia
 etoposide **141**, **142**
 BEACOPP regimen **211**
ETV6-RUNX1 translocation **187**
 extramedullary haemopoiesis **118**
 extravascular haemolysis **63**
- 18F-fluorodeoxyglucose *see* FDG
 factor I **270**, **273**, **273**
 factor II **271**, **273**
 factor IIa inhibitors **317**
 factor III **271**, **272**, **273**, **275**
 factor V **271**, **273**
 deficiency **296**
 factor V Leiden mutation **304–5**, **305**
 factor VII **271**, **273**
 deficiency **296**
 freeze-dried concentrates **344**
 recombinant activated **294**
 factor VIII **271**, **273**, **293**
 autoantibodies **300**
 deficiency *see* haemophilia A
 inhibitors **294**
 raised, in venous thrombosis **306**
 recombinant **293**
 factor IX **271**, **273**
 deficiency *see* haemophilia B (Christmas disease)
 factor IX-prothrombin complex
 concentrates **344–5**
 factor X **271**, **273**
 deficiency **296**
 factor Xa inhibitors **317**
 factor XI **271**, **273**
 deficiency **296**
 factor XII **271**
 factor XIII **271**, **273**, **273**
 deficiency **296**
 familial amyloidosis **238**
 familial polycythaemia **75**
- Fanconi anaemia **244**, **244**, **245**
 FDG-PET in Hodgkin lymphoma **209–10**, **210**
 FEIBA **300**
 Felty's syndrome **324**
 ferriredutase **31**
 ferritin
 hyperferritinaemia **42**
 iron in **28**
 regulation **29**
 serum levels **20**, **35**, **36**
 ferroportin **31**, **32**
 fertility in cancer patients **137**
 fetomaternal alloimmune thrombocytopenia **350**
 fetus/fetal
 haemoglobin **16**, **73**, **74**, **81**
 sites of haemopoiesis **2**
 see also neonates
 fibrin (factor I) **270**, **273**, **273**
 fibrin-stabilizing factor *see* factor XIII
 fibrinogen **271**, **272–3**
 defects **306**
 quantitation **276**
 raised, in venous thrombosis **306**
 fibrinolysis **275–6**, **276**
 tests of **277**
 fibrinolytic agents **318**
 contraindications **319**
 Fitzgerald factor (high molecular weight kininogen) **271**
 Fletcher factor (prekallikrein) **271**
 flow cytometry **131**, **132**, **133**
 ALL **189**
 platelet function **277**
 fludarabine **141**, **142**
 CLL **200**
 fluorescence *in situ* hybridization (FISH)
 131, **131**
 FOG-1 **14**
 folate **50**, **51–2**
 absorption, transport and function **51**
 red cell **20**, **57**
 reduction **52**
 serum **20**, **57**
 structure **51**
 folate deficiency **53**
 causes **53**
 clinical features **53–6**, **54–6**, **54**
 diagnosis **56–7**, **57**
 pregnancy **347**
 tests for cause **57**, **57**
 treatment **57–8**, **57**, **58**
 follicular lymphoma **222–3**, **222**
 cytogenetics **217**
 immunophenotype **200**, **217**
- fondaparinux **315**
 foscarnet **259**
 fresh frozen plasma (FFP) **344**
 fungal infections in cancer patients **139–40**, **139**, **140**
- G1 phase **8**
 G2 phase **8**
 ganciclovir **259**
 gastritis
 atrophic **35**, **37**, **53**
 autoimmune **35**, **52**
 GATA-2 **4**, **14**
 Gaucher's disease **99**, **99**, **100**
 gene segments **107**, **107**
 gene sequencing **131**
 gene therapy in haemophilia A **294**
 genetic markers **133–4**, **133**, **134**
 genetics
 ALL **189–91**, **190**, **191**
 AML **146**, **149**, **151**, **151**, **152**
 CML **166**
 haematological malignancies **124–7**, **125–7**, **126**
 pre-implantation genetic diagnosis **85**
 germinal centre **111**
 giant cavernous haemangioma **279**
 Gilbert's disease **64**
 glandular fever *see* infectious mononucleosis
 Glanzmann's thrombasthenia **266**, **287**
 glossitis **32**, **54**
 glucose-6-phosphate dehydrogenase
 deficiency **66–7**, **66**, **67**
 glutathione deficiency **67**
 glycophorin **147**
 glycoprotein IIb/IIIa inhibitors **319**, **320**
 golf ball cells **77**
 graduated compression stockings **318**
 graft-versus-host disease **256**, **258**
 acute **257**, **258**, **258**
 chronic **258**
 post-transfusion **342**
 graft-versus-leukaemia effect **261**, **261**
 granulocyte colony-stimulating factor (G-CSF) **5**, **6**, **90**
 clinical uses **91**
 effects of **91**
 granulocyte-macrophage colony-stimulating factor (GM-CSF) **90**
 granulocytes **88**, **89–90**, **89**
 concentrates **344**
 see also specific types
 granulopoiesis **90–1**, **90**, **91**
 growth factor receptors **6–8**, **7**
 growth factors **4–6**, **5**, **5**, **6**

- haem 16, 30, 32
- haem enzymes **28**
- haemangioblasts 2
- haematinics, normal values **20**
- haematocrit **20**
- haematological malignancies 122–34, 123, 135–44
 - aetiology 124–5, 124
 - diagnostic methods 131–3, 131–3
 - ECOG status 136, **136**
 - genetic abnormalities associated with 129–31, 129, 130
 - genetic markers 133–4, 133, 134
 - genetics 124–7, 125–7, **126**
 - incidence 123, 123
 - specific therapies 140–4, 141, **142–3**
 - supportive therapy 136–40
 - see also specific therapies*
- haematoma **279**
- haematopoietin receptor superfamily 6
- haemochromatosis **42**, 43–4, 43
- haemoglobin 2, 13, 16–17, **16**, 73
 - and erythropoietin production 15
 - fetal-adult switch 74
 - function 17, 17
 - genetic disorders of 74–86, **75**
 - hereditary synthesis disorders 68
 - iron in **28**
 - molecular aspects 73–4, 73, 74
 - myelofibrosis **174**
 - normal values **20**, **20**
 - oxygen dissociation curve 17, 20
 - prenatal diagnosis of genetic disorders 85, 86
 - synthesis 16–17, 16, 17, 73
 - thrombocythaemia **172**
 - see also anaemia*
- haemoglobin A **16**, 73
- haemoglobin A2 **16**, 73
- haemoglobin Barts **75**, 76, 76
- haemoglobin C 80, 84, 85
- haemoglobin Constant Spring 76
- haemoglobin D 81, 85
- haemoglobin E 81, 85
- haemoglobin F **16**, 73, 81, 85
- haemoglobin H 77, 80
- haemoglobin Lepore 77, 81
- haemoglobin S 17, 80, 85
 - see also sickle cell anaemia*
- haemoglobinaemia 63
- haemoglobinuria 63, 64
 - march 70
 - paroxysmal cold 69–70
 - paroxysmal nocturnal 62, 246, 247, 247
- haemolysis **75**
- haemolytic anaemias 60–71
 - acquired 68–71
 - autoimmune *see* autoimmune haemolytic anaemias
 - classification 62, **62**
 - clinical features 62, 63
 - hereditary 64–8
 - intravascular/extravascular haemolysis 63, **63**, 64
 - laboratory findings 63
- haemolytic disease of newborn 350–2, 351, 352
 - ABO incompatibility 352
- haemolytic transfusion reactions 340–2, **341**
- haemolytic uraemic syndrome 285, 285, 286
 - Rh incompatibility 350–2, 351, 352
- haemophagocytic lymphohistiocytosis 98, 98
- haemophilia A 291–5
 - antenatal diagnosis 291
 - carrier detection 291
 - clinical features 291, 292, 293
 - disease severity **293**
 - gene therapy 294
 - laboratory findings 291, **294**
 - molecular genetics 291, 291, 292
 - prophylaxis 294
 - treatment 293–4
- haemophilia B (Christmas disease) 295
 - disease severity **293**
 - laboratory findings **294**, 295
- haemopoiesis 1–10
 - extramedullary 118
 - regulation of 4, 7, 91
 - sites of 2, 2, **2**
 - stem and progenitor cells 2–4, 3
- haemopoietic growth factors 4–6, 5–7, **5**, **6**
- aplastic anaemia 247
- haemopoietic progenitors 2, 3
- haemorrhage
 - massive 345
 - retinal 21
- haemorrhagic cystitis 260
- haemorrhagic disease of newborn 296
- haemosiderin 28
- haemosiderinuria 63, 247
- haemostasis 265, 273–5
 - disorders of 306
 - haematological malignancies 137
 - platelet plug 274–5
 - pregnancy 348
 - tests of 276–7, **276**
 - vasoconstriction 273–4
 - see also blood coagulation*
- Hageman (contact) factor *see* factor XII
- hairy cell leukaemia 202–3, 203
 - cytogenetics **217**
 - immunophenotype **200**, **217**
- Hand-Schüller-Christian disease 98
- haploid cells 127
- haploidentical stem cell transplantation 256
- haptoglobins 61
- Heinz bodies 24, 67, 71
- Helicobacter pylori* 33
 - chronic idiopathic thrombocytopenic purpura 282
 - haematological malignancies 125
 - MALT lymphoma 221–2
 - pernicious anaemia 52
- hemojuvelin 30, 43
- HEMPAS 249
- Henoch-Schönlein syndrome 280, 280
- heparin 312–15, **313**
 - administration and laboratory control 313–14
 - bleeding during therapy 314
 - haemostasis tests **299**
 - indications 313
 - low molecular weight **313**, 314
 - mode of action 313, 313
 - osteoporosis 315
 - unfractionated 313–14, **313**
- heparin-induced thrombocytopenia 314–15, 314
- hepatitis, transfusion-related 338, **339**
- hepcidin 29–30, 31, 43
- hereditary haemolytic anaemias 64–8
 - elliptocytosis **64**, 65, 65
 - glucose-6-phosphate dehydrogenase deficiency 66–7, 66, 67
 - South-East Asian ovalocytosis 65
 - spherocytosis 64–5, **64**, 65
- hereditary haemorrhagic telangiectasia 279, 280
- herpes viruses 139
 - post-stem cell transplant 259
 - transfusion-related **339**
- heterophile antibodies 112–13
- hexose monophosphate shunt 18
- HFE* gene 43
- high molecular weight kininogen (Fitzgerald factor) **271**
- histiocytes 97, **98**
- histiocytic cell neoplasms 226
- HIV/AIDS
 - cerebral lymphoma 224, 225
 - haematological changes 328, 329
 - transfusion-related 338, **339**

- HLA system 255–6, 255, **256**
 inheritance 257
 and stem cell transplantation 256
- HLA-restricted T cells 109
- Hodgkin lymphoma 205–12
 advanced stage 211
 clinical features 206, 206, 207
 diagnosis and histological classification
 207, 207, 208, **208**
 early stage 211
 FDG-PET 209–10, 210
 haematological and biochemical findings
 206–7
 history and pathogenesis 206
 late effects 212
 prognosis **210**, 212
 Reed-Sternberg cells 133, 206, 207
 relapse 211–12
 response to treatment 211
 staging 208–9, 209, **209**
 treatment 210–12, **210**, 211, 212
 WHO classification **208**
- Howell-Jolly bodies 24, 117, 120
- human albumin solution (4.5%) 344
- human albumin solution (20%) 344
- human leukocyte antigen *see* HLA
- human T-cell leukaemia virus, transfusion-related 338
- Hurler's syndrome 94
- hydrops fetalis **75**, 76, 76, 352, 352
- hydroxocobalamin **57**
- hydroxodaunorubicin, CHOP regimen 223
- hydroxycarbamide 85, 141, **142**
 polycythaemia vera 170, 171
- hydroxyurea *see* hydroxycarbamide
- hypercalcaemia 237
- hyperdiploid cells 127
 ALL 190, 191
- hyperferritinaemia **42**
- hyperglobulinaemia 287
- hyperhaemolysis syndrome 342
- hyperhomocysteinaemia 306
- hypersplenism 119–20, **120**
- hypertensive disorders, thrombocytopenia
 of 348
- hyperviscosity syndrome 240, 240
- hypochromic anaemias 27–40, 28
 anaemia of chronic disorders 37, **37**, **38**
 differential diagnosis **38**, 39
 iron deficiency *see* iron deficiency
 anaemia
 lead poisoning 39
 sideroblastic anaemia 38–9, 38, **39**
- hypodiploid cells 127
 ALL 190, 191
- hypomethylating agents 184
- hyposplenism 120, **120**
 infection prevention 121, **121**
- hypothyroidism 327
- ibritumomab **143**
- ibrutinib **106**, 141, **142**
 CLL 201
 mantle cell lymphoma 223
- idarubicin **142**
- idelasib **106**, **142**, 201
- idiopathic acquired aplastic anaemia 244
- idiopathic thrombocytopenic purpura (ITP)
 282–3
 acute 283
 chronic 282–3
 clinical features 282–3
 diagnosis 283
 pathogenesis 282, 282
 pregnancy 348
 treatment 283
 warm autoimmune haemolytic anaemia
 association 68–9, 69
see also autoimmune thrombocytopenic
 purpura
- Igs *see* immunoglobulins
- imatinib 141, **142**, 143, **160**
- immune function, splenic control 117
- immune haemolytic anaemias
 alloimmune 70
 autoimmune 68–70, 69
 drug-induced 70, 70
- immune response 109–11, 110, 111
- immunity
 adaptive 88
 innate 88
- immunodeficiency 113–14, **113**
see also HIV/AIDS
- immunoglobulins 106–7, 106, **106**
 gene rearrangements 107, 107, 108
 idiopathic thrombocytopenic purpura
 283
 IgA **106**
 IgG **106**
 IgM **106**
 isotypes 106
 pooled 345
 replacement 202
 subclasses 106
- immunohistology (immunocytochemistry)
 133, 133
- immunological markers **147**
- immunological memory 103
- immunoparesis 232
- immunosuppressants in idiopathic
 thrombocytopenic purpura 283
- indirect antiglobulin test (IAT) 340
- infections 327–30, **327**, 328–30
 bacterial 327–8
 cancer patients 138–9, 138
 haemolysis 71
 hyposplenic patients 121, **121**
 kala-azar (visceral leishmaniasis) 329,
 330
 malaria 329, 329
 parasitic 329, 330, 331
 post-stem cell transplant 258–60, 259,
 260
 and thrombocytopenia 283
 toxoplasmosis 329
 transfusion-related 338–9, **338**, **339**
 viral 328
see also HIV/AIDS
- infectious mononucleosis 111–12
- inferior vena cava filter 318
- inflammation, and venous thrombosis 306
- innate immune system 88
- interferon- α **143**, 144
 chronic myeloid leukaemia 162
 polycythaemia vera 171
- interferon- γ 5
- interleukins 5, **6**, 90
- intermittent compression devices 318
- international normalized ratio (INR) 315
- interphase 8
- interstitial pneumonitis 259, 260
- intravascular haemolysis 63, **63**, 64
- iron
 absorption 30–1, **30**, 31, 32
 body distribution/transport 28–30, **28**,
 29, 30
 daily cycle 29
 dietary 30
 oral 36–7, **37**
 parenteral 37
 requirements 31–2, **33**
 serum levels **20**, 34–5, 36
- iron chelation therapy 45–7, 46, 79
 aplastic anaemia 247
 myelodysplasia 182
- iron deficiency anaemia 32–7
 blood film 34, 34, 35
 causes 32–3, 33, **33**
 clinical features 32, 34
 investigations 35–6, 36
 laboratory findings **38**
 pregnancy 347
 red cell indices 34
 treatment 36–7, **37**

- iron overload 41–7
 - African 43
 - assessment 42, **42**, 43
 - causes **42**
 - chelation therapy 45–7, 46
 - haemochromatosis **42**, 43–4, 43
 - transfusional 44, 44, 45, 342
- iron refractory iron deficiency anaemia (IRIDA) 37
- iron regulatory protein 29
- iron response elements 29
- isochromosome 129
- ITP *see* idiopathic thrombocytopenic purpura
- JAK inhibitors 171
- JAK proteins 6, 8
- JAK/STAT pathway 6
- JAK2 mutation 166, 167, **169**, **172**
- Janus-associated kinase proteins *see* JAK proteins
- juvenile myelomonocytic leukaemia 184
- kala-azar (visceral leishmaniasis) 329, 330
- karyotype 127, 128
 - analysis 131
- Kell blood group system **336**, 337
- kernicterus 351
- Kidd blood group system **336**
- kidney
 - myeloma 235
 - renal failure 325–6, 325, **325**
- Kleihauer test 351, 351
- koilonychia 21, 32, 34
- Kupffer cells 275
- labile factor *see* factor V
- lactate dehydrogenase 286
- Langerhans' cell histiocytosis 98, 98, 226
- large granular lymphocytic leukaemia 203–4, 203
- lazy leucocyte syndrome 93
- lead poisoning 39
- lenalidomide **143**
 - CLL 201
 - mantle cell lymphoma 223
 - multiple myeloma 236, 237
 - myelodysplasia 182
- Lepore syndrome 77, 81
- lestaurtinib 171
- Letterer-Siwe disease 98
- leucocyte adhesion molecules 92
- leucocytes *see* white cells
- leucodepletion 343
- leucoerythroblastic reaction 94–5, 94, **95**
- leukaemia
 - acute lymphoblastic (ALL) 186–96
 - acute myeloid (AML) 145–55
 - acute promyelocytic 149, 152–3
 - chronic eosinophilic 164
 - chronic lymphoid 197–204
 - chronic myeloid (CML) 156–64, 184
 - chronic myelomonocytic 180, 184
 - chronic neutrophilic 164
 - classification 146, **146**
 - diagnosis 146–7, 146, **147**
 - vs. lymphoma 214
 - see also specific types*
- leukaemoid reaction 94, 322
- Lewis blood group system **336**, 337
- Li blood group system **336**
- liver disease 326–7, **326**
 - coagulation defects 297
 - haemostasis tests **299**
- Loa loa* 331
- low molecular weight heparin **313**, 314
- lupus anticoagulant 300–1
 - and venous thrombosis **307**
- Lutheran blood group system **336**
- lymph nodes 110
- lymphadenopathy 114, 114
- lymphoblastic lymphoma 225
- lymphocytes **12**, 88, 88, 102–15, 103
 - antigen receptors 105
 - B cells 103–4, 105, **105**
 - blood count **20**, **88**
 - circulation 106
 - natural killer cells 104, 106
 - T cells 103–4, 105, **105**
- lymphocytosis 111–13, **111**
 - clinical features 112
 - diagnosis 112–13, 112
 - differential diagnosis 113
 - heterophile antibodies 112–13
 - infectious mononucleosis 111–12
 - non-Hodgkin lymphoma 203
 - pleomorphic atypical 112, 112
 - treatment 113
- lymphoid organs 103, 104
 - secondary 110
- lymphoma
 - HIV/AIDS 224, 225
 - Hodgkin *see* Hodgkin lymphoma
 - non-Hodgkin *see* non-Hodgkin lymphoma
 - T-cell 225–6
 - vs. leukaemia 214
 - see also specific types*
- lymphopenia 113
- lymphoplasmacytic lymphoma
 - cytogenetics **217**
 - immunophenotype **217**
- lymphoplasmacytoid lymphoma 221, 221
- lymphoproliferative diseases, post-transplant 261–2, 262
- lysosomal storage diseases 99–101
 - Gaucher's disease 99, 99, 100
 - Niemann-Pick disease 99, 101
- M phase 8
- macrocytes 23
- macrocytic anaemia 49, 58–9, **58**
 - see also* megaloblastic anaemia
- macrophage colony-stimulating factor (M-CSF) 5, 6
- macrophages 92
- macrospherocytes 23
- magnetic resonance imaging *see* MRI
- major histocompatibility complex (MHC) 256, **256**
 - see also* HLA system
- malaria 329, 329
 - transfusion-related 338–9, **339**
- malignancy
 - dendritic cells 226
 - haematological 122–34, 123, 135–44
 - haematological changes 322–3, 323, 324, **324**
 - histiocytic cells 226
 - myelodysplastic/myeloproliferative 184, **184**
 - myeloid **166**
 - plasma cells **231**
 - and venous thrombosis 306
 - see also named diseases and tumours*
- malignant disease *see* neoplasms
- MALT lymphoma 221–2, 222
 - cytogenetics **217**
 - immunophenotype **217**
- mantle cell lymphoma 223, 223
 - cytogenetics **217**
 - immunophenotype **200**, **217**
- MAP kinase 6
- march haemoglobinuria 70
- marginal zone lymphomas 221–2, 222
- massive haemorrhage 345
- massive transfusion syndrome 287, 301
 - haemostasis tests **299**
- mastocytosis 175, 175
 - genetic mutations **166**
- matriptase 2 30
- May-Hegglin syndrome 93, 94, 281
- mean cell haemoglobin (MCH) **20**
- mean cell volume (MCV) **20**, 21
- megakaryocytes 182, 265–6, 266, 267

- megaloblastic anaemia 49, **49**, 93
 - biochemical basis 51, 52
 - clinical features 53–6, 54–6, **54**
 - laboratory findings 55–6, 55, 56
 - treatment 57–8, **57**, 58
 - see also* folate; vitamin B12
- melphalan **142**
 - MTP regimen 235
 - multiple myeloma 235
- men, iron requirements **33**
- menorrhagia 33
- 6-mercaptopurine 141, **142**
- mesenchymal stem cells 4
- methaemalbuminaemia 63
- methaemoglobinaemia 17, **75**
- methotrexate 141, **142**
- methylenetetrahydrofolate reductase 306
- MGUS 229, **231**, 232, 237–8, 238
- microangiopathic haemolytic anaemia 70, 322
- microcytes 23
- microRNAs 131
- minor histocompatibility antigens 256
- mitogen-activated protein kinase *see* MAP kinase
- mitosis 8
- mitoxantrone **142**
- mixed phenotype acute leukaemia 148
- MN blood group system **336**, 337
- molecular genetics
 - ALL 189–91, 190, 191
 - AML **146**, 149, 151, **151**, 152
 - CLL 200
- mometinib 171
- monoclonal antibodies 141, **143**
 - idiopathic thrombocytopenic purpura 283
 - non-Hodgkin lymphoma 220
 - see also* named antibodies
- monoclonal B-cell lymphocytosis (MBL) 198
- monoclonal gammopathy of undetermined significance *see* MGUS
- monoclonal immunoglobulins, associated diseases **229**
- monocyte colony-stimulating factor (M-CSF) 90
- monocytes **12**, 88, 88, 89, 89, 92
 - blood count **20**, **88**
 - disorders of function 92–4, 92, 93
- monocytosis 96, **97**
- monospot test 112
- MR pulmonary angiography 309
- MRI
 - cerebral lymphoma 224
 - deep vein thrombosis 308
- haemophilia A 292
 - non-Hodgkin lymphoma 219
- mucosa-associated lymphoid tissue lymphoma *see* MALT lymphoma
- mucosal bleeding **279**
- multiple myeloma 229–37
 - clinical features 231–2, 232–5, 239
 - diagnosis 231
 - pathogenesis 229, 230, **231**
 - prognosis 237
 - relapse 237
 - smouldering 229, 231, **231**
 - supportive care 237
 - treatment 235, 233–7, 236
- Mycoplasma pneumoniae* 328
- mycosis fungoides 226, 226
- myeloablative conditioning 253
- myeloblasts 89, 89
- myelodysplasia 91, 177–86
 - classification **178**, 179–80
 - clinical features 180, 182
 - cytogenetic abnormalities **179**
 - diagnosis 181
 - genetic abnormalities 182
 - high-risk syndromes 184
 - laboratory findings 180, 183
 - low-risk syndromes 182
 - prognostic score **179**, **180**
 - treatment 182, 184
- myelodysplastic syndromes *see* myelodysplasia
- myelodysplastic/myeloproliferative neoplasms 184, **184**
- myelofibrosis 173–5
 - clinical features 174
 - genetic mutations **166**, 167
 - laboratory findings 174, 174
 - survival score **174**
 - treatment 174–5
- myeloid growth factors 90–1, 91
- myeloma *see* multiple myeloma
- myeloma kidney 235
- myelomonocytic leukaemia
 - chronic 180, 184
 - juvenile 184
- myeloproliferative disease 165–76, 166, **166**, 287
 - JAK2 mutation 166, 167
 - mastocytosis **166**, 175, 175
 - myelofibrosis **166**, 167, 173–5
 - polycythaemia 168–72
 - thrombocythaemia **166**, 167, 172–3, **172**, 173, **173**
- Mylotarg® **143**
- myoglobin, iron in **28**
- nail bed pallor 21
- natural killer cells 104, 106
- neonates 348–52
 - anaemia 349–50, 349
 - blood coagulation 350
 - blood count **88**, 348–9, 349
 - fetomaternal alloimmune thrombocytopenia 350
 - haemolytic disease of newborn 350–2, 351, 352
 - haemorrhagic disease of newborn 296
 - hydrops fetalis **75**, 76, 76, 352, 352
 - polycythaemia 350
- neoplasms *see* malignancy
- neural tube defects 55, 55
- neutropenia 91, 95–6
 - autoimmune 96
 - benign ethnic 95
 - causes **95**
 - clinical features 96, 96
 - congenital 95
 - cyclical 95
 - diagnosis 96
 - drug-induced 95
 - HIV/AIDS 328
 - idiopathic benign 96
 - management 96
 - refractory **178**
- neutrophil leucocytosis 93, 94–5, 94, **95**
 - causes **94**
- neutrophils **12**, 88, 88, 89, 89
 - blood count **20**, **88**
 - disorders of function 92–4, 92, 93
 - precursors 89, 89
- Niemann-Pick disease 99, 101
- nilotinib **142**, 143, **160**
- nitric oxide 270
- non-Hodgkin lymphoma 213–27
 - cell of origin 214, 216
 - cellular origins 215
 - classification 214, **214**, 215
 - clinical features 216
 - cytogenetics/genetic analysis 217–18, **217**, 218
 - high-grade 214, 223–5
 - histology 216, 217
 - HIV/AIDS 328
 - imaging 219, 220
 - laboratory investigations 216–17
 - low-grade 214, 220–3
 - lymphocytosis 203
 - pathogenesis 216, **216**
 - prognostic index **218**
 - staging 218
 - T-cell lymphomas 225–6

- non-Hodgkin lymphoma (*continued*)
 treatment 220
see also specific subtypes
- non-myeloablative conditioning 253
- NOTCH signalling pathway 188
 ALL 191
- NOTCH-1 4
- nutritional support of cancer patients 137–8
- O blood group **336**
- obinutuzumab **143**, 201
- oestrogen therapy, and venous thrombosis 307
- ofatumumab **143**, 201
- older patients
 acute myeloid leukaemia 153
 haematological changes 322
- oncogenes 125
- oral anticoagulants 315–18, **315–17**
 bridging anticoagulation 316–17
 direct acting 317–18, **317**
 drug interactions 315, **316**
 INR 315
 length of anticoagulation 315
 overdose 316, **316**
see also specific drugs
- osteopetrosis 249
 haematological changes 330
- osteoporosis, heparin-induced 315
- osteosclerotic myeloma (POEMS syndrome)
 237
- ovalocytosis, South-East Asian 65
- oxyhaemoglobin 17
- P blood group system **336**, 337
- packed cell volume (PCV) **20**
- pacritinib 171
- pain in haematological malignancies 138
- pancytopenia 243, **243**
 malignant disease **324**
- Pappenheimer bodies 24, 117, 120
- paraproteinaemia 107, 229, 229
- parasitic infections 329, 330, 331
 transfusion-related **339**
- paroxysmal cold haemoglobinuria 69–70
- paroxysmal nocturnal haemoglobinuria 62,
 246, 247, 247
- parvovirus B19 248
 transfusion-related **339**
- passenger mutations 125
- Pearson's syndrome 38
- PD-1 112
- Pelger abnormality 180, 183
- Pelger-Huët anomaly 93, 94
- pencil cells 23
- pentose phosphate shunt 18
- periarteriolar lymphatic sheath 117, 117
- peripheral blood stem cell (PBSC)
 transplantation 251
- peripheral T-cell non-Hodgkin lymphoma,
 unspecified 225
- pernicious anaemia 52–3
 associations **53**
- PET
 Hodgkin lymphoma 209–10, 210
 multiple myeloma 233
 non-Hodgkin lymphoma 219, 220
- petechiae **279**
- PFA-100 test 277
 coagulation disorders **294**
- phagocytes **12**, 88
- phagocytosis 92–3, 92
 defects 93
 killing and digestion 93
- Philadelphia (Ph) chromosome 157–8, 191
- phosphatidylinositol 3 kinase *see* PI3 kinase
- PI3 kinase 6, 8
- PIVKA factors 296
- plasma cells 103
 neoplasms **231**
- plasma cell leukaemia 237
- plasma thromboplastin antecedent *see* factor
 XI
- plasma viscosity 332
- plasma volume **168**
- plasmin 275
 inactivation 276
- plasminogen 275
- platelets **12**, 265–70
 adhesion 269
 aggregation 267–8, **294**
 amplification 268
 anaemia 22
 antigens **147**, 266
 concentrates 344
 destruction 282–7
 failed production 281, **281**
 function 267–70
 inhibitors of function 270
 malignant disease 322–3, **324**
 plug 274–5
 procoagulant activity 268
 production 265–6, 266, 267
 release reaction 268
 structure 266, 269
 transfusion 283, 289
- platelet count **20**, 266
 coagulation disorders **294**, **299**
 myelofibrosis **174**
 raised **173**
 thrombocythaemia **172**
- platelet function disorders 287–9
 Bernard-Soulier syndrome 266, 287
 diagnosis 288–9, 288
 drug-induced 287, 288
 Glanzmann's thrombasthenia 266, 287
 hyperglobulinaemia 287
 renal failure 326
 storage pool diseases 287
 uraemia 287
see also myeloproliferative disease
- platelet function tests 277
- platelet-derived growth factor (PDGF) 270,
 303
- platinum derivatives 144
- pleomorphic atypical lymphocytosis 112,
 112
- pletixafor 251
- pluripotent stem cells 2–4, 3
- Pneumocystis carinii* 259, 260
- POEMS syndrome (osteosclerotic myeloma)
 237
- point mutations 129, 129
- polycythaemia 168–72
 apparent 172
 classification 168, **168**
 differential diagnosis 172
 genetic mutations **166**, 167
 malignant disease 322
 neonate 350
 primary (erythrocytosis) 168, **168**
 secondary **168**, 172
- polycythaemia vera 168–71
 clinical features 169–70, 169, 170
 congenital causes 171
 course and prognosis 171
 diagnosis 169, **169**
 genetic mutations **166**
 laboratory findings 170, 170
 treatment 170–1, 171
- polymerase chain reaction (PCR) 134, 134
- pomalidomide **143**
 multiple myeloma 235, 237
- ponatinib **160**
- positron emission tomography *see* PET
- post-capillary venules 106
- post-thrombotic syndrome 318
- post-transfusion circulatory overload 342
- post-transfusion purpura 284, 342
- post-transfusional iron overload 44, 44, 45,
 342
- post-transplant lymphoproliferative diseases
 261–2, 262
- postoperative venous thrombosis 306
- prasugrel 287, 320
- pre-implantation genetic diagnosis 85

- prednisolone
 - ALL 189
 - autoimmune haemolytic anaemia 68, 201
 - BEACOPP regimen 211
 - CHOP regimen 223
 - ITP 283, 284
 - MTP regimen 235
 - R-CVP regimen 222
- pregnancy 347–8, 347, 348
 - anaemia 347, 347
 - folate/vitamin B12 deficiency 347
 - haemostasis and thrombosis 348
 - thrombocytopenia 347–8, 348
- prekallikrein (Fletcher factor) 271
- prenatal diagnosis in haemoglobin disorders 85, 86
- primary cold agglutinin disease 69–70
- prion diseases, transfusion-related 339, 339
- procabazine, BEACOPP regimen 211
- proconvertin *see* factor VII
- progenitor cells 2–4, 3, 12–13
- prolymphocytic leukaemia
 - B-cell 202, 202
 - T-cell 203
- promyelocytes 89, 89
- prostacyclin 268, 270, 270
- protein 4.1 19
- protein C 275, 275
 - concentrate 345
 - deficiency 305
- protein S 275
 - deficiency 305–6
- prothrombin allele G20210A 306
- prothrombin (factor II) 271, 273
- prothrombin time 276, 276
 - coagulation disorders 294, 299
- proto-oncogenes 125, 125
- protozoal infections
 - and haematological malignancies 125
 - transfusion-related 339
 - see also* malaria
- pseudodiploid cells 127
- pseudopolycythaemia 168
- psychological support of cancer patients 137
- pulmonary angiography 309
- pulmonary embolus 308–9, 309
 - prophylaxis 318
- purpura 280, 280, 281
 - post-transfusion 284, 342
 - thrombotic thrombocytopenic 285, 285, 286
- pyruvate kinase deficiency 67–8
- 5q-syndrome 180
- R-CHOP regimen 223
- R-CVP regimen 222–3
- R-FC regimen 200
- R-ICE regimen 224
- radiation-induced disorders 124
- radiography
 - ALL 189
 - haemophilia A 292
 - interstitial pneumonitis 260
 - multiple myeloma 233, 235
 - pulmonary embolus 308
- radionuclide scanning 239
- radiotherapy
 - CLL 201
 - multiple myeloma 237
- rasburicase 137
- RD regimen 235
- reactive systemic AA amyloidosis 238
- recombinases 107
- red cells 12, 17–19
 - abnormalities 23
 - amplification and maturation 14
 - anaemia 21, 22
 - antigens 334, 335
 - destruction 61, 61
 - DNA content 14
 - erythrocyte sedimentation rate 330, 332
 - folate 20, 57
 - inclusions 24
 - malignant disease 324
 - membrane 18–19, 19
 - metabolism 18, 18
 - metabolism defects 66–8, 66, 67
 - packed 343, 343
 - splenic control of integrity 117
 - volume 168
- red cell aplasia 247–9, 247, 248
- red cell count 20
- red cell fragmentation syndromes 70, 70, 70
- red cell indices
 - anaemia 21, 34
 - iron deficiency 34
 - normal 20
- red pulp of spleen 117, 117
- Reed-Sternberg cells 133, 206, 207
- refractory anaemia 178
 - with excess blasts 178, 180
 - with ring sideroblasts (RARS) 178
- refractory cytopenia
 - with multilineage dysplasia (RCMD) 178
 - with unilineage dysplasia (RCUD) 178
- refractory neutropenia 178
- refractory thrombocytopenia 178
- renal failure 325–6, 325, 325
- reticulocytes 24
- reticulocyte count 20
 - anaemia 22, 22
- reticuloendothelial system 61, 92
- retinal haemorrhage 21
- trans*-retinoic acid 142
- Rh blood group system 335, 336
 - genotypes 338
 - haemolytic disease of newborn 350–2, 351, 352
 - molecular genetics 337
- rheumatoid arthritis, haematological
 - changes 323–5, 324
- Rickettsia rickettsii* 339
- ring sideroblasts 38, 38, 178, 180, 183
- rituximab 143
 - CLL 200
 - idiopathic thrombocytopenic purpura 283
 - non-Hodgkin lymphoma 220
- rivaroxaban 317, 318
- romiplostim 283
- Rosai-Dorfmann disease 99
- ROTEM (thromboelastometry) 277, 301
- rouleaux formation 234
- ruxolitinib 141, 142
 - polycythaemia vera 171
- schistosomiasis 329
- Schwachman-Diamond syndrome 95, 244, 249
- SCL 4
- scurvy (vitamin C deficiency) 280, 280
- self-renewal 2, 3, 4
- senile purpura 280
- serum free light chain assay 232, 233
- Sézary syndrome 226
- sicca syndrome 261
- sickle cells 23
- sickle cell anaemia 80, 81–5
 - antenatal diagnosis 86
 - aplastic crises 83
 - clinical features 81–4, 82–4
 - haemolytic crises 83
 - laboratory findings 84
 - molecular pathology 81
 - organ damage 83–4, 83, 84
 - treatment 84–5
 - vaso-occlusive crises 82, 83
- sickle cell trait 80, 85
- sideroblastic anaemia 38–9, 38, 39
 - laboratory findings 38
- signal transducer and activator of transcription *see* STAT
- signal transduction 6–8, 7
- signal transduction inhibitors 142, 143

- sinus histiocytosis with massive lymphadenopathy 99
- slg **189**
- small lymphocyte lymphoma 220
 - immunophenotype **217**
- smouldering myeloma 229, 231, **231**
- solitary plasmacytoma 237
- somatic hypermutation 200
- somatic mutation 107
- South-East Asian ovalocytosis 65
- spectrin 19
- spherocytosis 19, 328
 - hereditary 64–5, **64**, 65
- spleen 116–21
 - anatomy and circulation 117, *117*
 - atrophy *117*
 - cords of 117, *117*
 - enlarged *see* splenomegaly
 - extramedullary haemopoiesis 118
 - functions 117
 - hypersplenism 119–20
 - hyposplenism 120, **120**, 121, **121**
 - imaging 118, *118*, *119*
 - red pulp 117, *117*
 - white pulp 117, *117*
- splenectomy 79, 120, **120**
 - idiopathic thrombocytopenic purpura 283
 - myelofibrosis 175
- splenic pooling 287
- splenomegaly 118–19, **120**
 - Felty's syndrome 324
 - marginal zone lymphoma 222
 - myelofibrosis *174*
 - platelet distribution 286
 - polycythaemia vera *169*
- SRSF2* mutation 184
- starry sky appearance 225
- STAT 6
- stem cells
 - homing 4
 - mesenchymal 4
 - mobilization 4
 - pluripotent 2–4, 3
- stem cell transplantation 250–63
 - acute myeloid leukaemia 153
 - allogeneic *see* allogeneic stem cell transplantation
 - aplastic anaemia 246–7
 - autologous 254, 255
 - bone marrow cells 251
 - chronic myeloid leukaemia 162, *163*
 - CLL 202
 - conditioning 253
 - haploidentical 256
 - idiopathic thrombocytopenic purpura 283
 - indications **251**
 - myelodysplasia 184
 - peripheral blood stem cells 251
 - post-transplant engraftment/immunity 253–4, *254*
 - potential donors **251**
 - principles 251, **251**
 - procedure 252
 - stem cell processing 251, 253, 253
 - umbilical cord blood cells 251
- stercobilin 61
- stercobilinogen 61
- steroid purpura 280
- stomatocytes 23
- storage pool diseases 287
- streptokinase 318
- Stuart-Prower factor *see* factor X
- subacute combined degeneration of cord 53, 54, 55
- superficial venous thrombosis 307
- systemic amyloid light chain amyloid disease 238–9, **238**, 239
- systemic diseases, haematological changes 321–32
 - anaemia of chronic disorders 322, **322**
 - congestive heart failure 326
 - hypothyroidism 327
 - infections 327–30, **327**, 328–30
 - liver disease 326–7, **326**
 - neoplasms 322–3, 323
 - non-specific monitoring 330–2, **331**
 - older patients 322
 - osteopetrosis 330
 - renal failure 325–6, 325, **325**
 - rheumatoid arthritis 323–5, *324*
 - systemic lupus erythematosus (SLE) 325
- T cells 103–4
 - functional aspects **105**
 - HLA-restricted 109
 - immunodeficiency **113**
- T-cell chronic lymphoid leukaemias 203–4
- T-cell lymphomas 225–6
- T-cell prolymphocytic leukaemia 203
- T-cell receptor, gene rearrangements 107, 108
- T helper cells 110
- target cells 23
- TdT **189**
- tear drop poikilocytes 23
- telomerase 129
- telomere 128, 129, *129*
- TET2* mutation 127, 184
- tetrahydrofolate 306
- thalassaemias **75**
 - α -thalassaemia syndromes **75**, 76, 76, 77
 - β -thalassaemia major 76–9, 77, 78
 - β -thalassaemia minor 79, 81
 - classification **75**
 - $\delta\beta$ -thalassaemia 81
 - geographical distribution 75
 - haemoglobin in 73, 74
 - thalassaemia intermedia 43–4, **75**, 79–81, 79, 80, 81
 - thalassaemia major 43, 44, **75**
- thalassaemia trait **75**, 79, 81
 - laboratory findings **38**
- thalidomide **143**
 - MTP regimen 235
 - multiple myeloma 236, 237
- thrombasthenia 266, 287
- thrombin 270–1, 272
- thrombin time 276, **276**
 - coagulation disorders **299**
- thrombocythaemia 172–3
 - clinical features **172**, 173
 - course 173
 - diagnosis 172–3
 - genetic mutations **166**, 167
 - laboratory findings **172**, 173, *173*, **173**
 - prognosis and treatment 173
 - survival **172**
- thrombocytopenia 281–7
 - with absent radii 244
 - amegakaryocytic 244
 - antiphospholipid syndrome 307
 - causes **281**
 - drug-induced *281*, **281**, 284, *284*
 - fetomaternal alloimmune 350
 - haemolytic uraemic syndrome 285, 285, 286
 - heparin-induced 314–15, *314*
 - of hypertensive disorders 348
 - infection-related 283
 - liver disease 297
 - malaria 329, 329
 - massive transfusion syndrome 287, 301
 - platelet destruction 282–7
 - platelet function disorders 287–9
 - platelet production failure 281, *281*, **281**
 - post-transfusion purpura 284, 342
 - pregnancy 347–8, *348*
 - refractive **178**
 - splenic pooling 287
 - thrombomimetics 289
 - viral infections 328
- thrombocytopenic purpura, autoimmune 282–3, 282

- thromboelastography 277, 300, 301
 thromboelastometry 277, 301
 thrombolytic therapy 287, 318–20, 319, **319**
 thrombomimetics 289
 thrombophilia 307–8
 thrombopoietin (TPO) 5, **6**, 265, 268
 thrombopoietin-receptor agonists 283
 thrombosis 302–10, 311–20
 anticoagulants 312–18
 antiplatelet drugs 318–20, 319, **319**
 arterial 303, 303, **303**
 fibrinolytic agents 318
 older patients 322
 post-thrombotic syndrome 318
 pregnancy 348
 prophylaxis 318
 venous *see* venous thrombosis
 thrombotic thrombocytopenic purpura 285, 285, 286
 thromboxane A2 268, 270
 ticagrelor 320
 tirofiban **319**, 320
 tissue factor *see* factor III
 tissue factor pathway inhibitor (TFPI) 272
 tissue plasminogen activator (TPA) 275, 276, 318
 tissue plasminogen activator inhibitor (TPAI) 275
 total iron-binding capacity **20**, 34–5, 36
 toxoplasmosis 329
 trabecular arteries 117, 117
 tranexamic acid 280
 transcobalamins 49
 transcription factors 8
 transferrin 28, **28**
 regulation 29
 transferrin receptor 1 regulation 29, 30
 transforming growth factor- β 5
 transfusion reactions 340–2, **341**
 transfusion-related acute lung injury (TRALI) 342
 transfusional iron overload 44, 44, **44**, 45
 translocations 129–30, 129, 130
 treosulfan 253
Treponema pallidum **339**
 tropical splenomegaly syndrome 119
 trypanosomiasis 329, 330
 tuberculosis 328
 tumour lysis syndrome 137
 tumour necrosis factor (TNF) 5, **6**, 90, 256
 tumour-suppressor genes 125
 tyrosine kinase inhibitors 141, **142**
 chronic myeloid leukaemia 160–1, 160, **160**, 161
 response to therapy 160–2, 160–2, **162**
 see also individual drugs
 tyrosine kinases 125
 ultra-large von Willebrand factor multimers 285, 285
 umbilical cord cell transplantation 251
 uraemia 287
 vaccination of hyposplenic patients 121, **121**
 vascular bleeding disorders 279–80, **279**
 acquired 279–80
 connective tissue disorders 279
 giant cavernous haemangioma 279
 hereditary haemorrhagic telangiectasia 279, 280
 vascular endothelial growth factor (VEGF) **6**
 vasoconstriction 273–4
 VCD regimen 235
 venesection in polycythaemia vera 170
 venous stasis 306
 venous thrombosis 303–7
 acquired risk factors 306–7, **307**
 deep vein thrombosis 308, **308**
 hereditary risk factors 304–6, **304**
 pathogenesis 303–4
 postoperative 306
 pulmonary embolus 308–9, 309
 superficial 307
 ventilation perfusion scintigraphy 309
 vinblastine **142**
 vinca alkaloids 141, **142**, 143
 vincristine **142**
 BEACOPP regimen 211
 CHOP regimen 223
 R-CVP regimen 222
 viral infections
 cancer patients 139
 haematological changes 328
 and haematological malignancies 124–5
 post-stem cell transplant 259, 259, 260
 post-transfusion hepatitis 338, **339**
 transfusion-related 342
 see also HIV/AIDS
 vitamin B12 49–51, 49
 absorption 49, 50, **50**
 biochemical function 51, 51
 neuropathy 53, 54, 55
 prophylactic 58
 serum **20**, **57**
 transport 49
 vitamin B12 deficiency 52–3
 causes **52**, 53
 clinical features 53–6, 54–6, **54**
 diagnosis 56–7, **57**
 pregnancy 347
 tests for cause 57, **57**
 treatment 57–8, **57**, 58
 vitamin C deficiency (scurvy) 280, 280
 vitamin K antagonists 315–18, **315–17**
 vitamin K deficiency 296–7, 297
 von Willebrand disease 295–6
 classification **295**
 laboratory findings **294**, 295
 treatment 295–6
 von Willebrand factor 266, 267, 269, 295
 ultra-large 285, 285
 VRD regimen 235
 VTD regimen 235
 Waldenström's macroglobulinaemia 221, 221
 warfarin **317**
 drug interactions 315, **316**
 haemostasis tests **299**, **315**
 overdose 316, **316**
 vitamin K deficiency 296
 warm autoimmune haemolytic anaemias 68–9, 69
 Weibel-Palade bodies 267, 285
 white cells 87–101, 102–15
 abnormal 93
 anaemia 22
 antibodies 342
 donor leucocyte infusions 162, 253, 261, 262
 malignant disease 94, 322, **324**
 see also specific types
 white cell count **20**, **88**
 myelofibrosis **174**
 thrombocythaemia **172**
 white pulp of spleen 117, 117
 WHO classification **208**, 354–6
 Wilson's disease 71, 326
 Wiskott-Aldrich syndrome 95, 281
 women
 iron requirements **33**
 pregnancy 347–8, 347, 348
Wuchereria bancrofti 331
 X-ray *see* radiography
Yersinia enterocolitica **339**
 Zieve's syndrome 325, 326

